













www.FoxBlocks.com  
1-877-369-2562

4 Inch Concrete Thickness						
		Width (inches)	Length (inches)	Return (inches)	Surface Area (square feet)	Concrete Vol. (cubic yards)
<b>Straight</b>		9.25 (4" core)	48	NA	5.33 (ext.or int.)	.066 (total)
<b>90° Corner</b>		9.25 (4" core)	38 (ext.) 28.75 (int.)	22 (ext.) 12.75 (int.)	6.67 (ext.) 4.61 (int.)	.07 (total)
<b>45° Angle</b>		9.25 (4" core)	34 (ext.) 30.17 (int.)	18 (ext.) 14.17 (int.)	5.78 (ext.) 3.57 (int.)	.066 (total)










www.FoxBlocks.com  
1-877-369-2562

6 Inch Concrete Thickness						
		Width (inches)	Length (inches)	Return (inches)	Surface Area (square feet)	Concrete Vol. (cubic yards)
<b>Straight</b>		11.25 (6" core)	48	NA	5.33 (ext. or int.)	.099 (total)
<b>90° Corner</b>		11.25 (6" core)	32 (ext.) 20.75 (int.)	24 (ext.) 12.75 (int.)	6.22 (ext.) 3.72 (int.)	.092 (total)
<b>45° Angle</b>		11.25 (6" core)	26 (ext.) 21.437 (int.)	18 (ext.) 13.437 (int.)	4.89 (ext.) 3.85 (int.)	.082 (total)
<b>Corbel Ledge</b>		15.75	48	NA	5.61 (ext. curve) 5.33 (int. curve)	.129 (total) .005 (Corbel only)
<b>Taper Top</b>		11.25	48	NA	5.33 (ext. or int.)	.111 (total) .002 (Ledge only)
<b>T-Block Short Leg</b>		11.25 (6" core)	44 (ext.) 12.375 (int.) 20.375 (int.)	4.375 (int.)	4.89 (ext.) 4.61 (int.)	.105 (total)
<b>T-Block Long Leg</b>		11.25 (6" core)	44 (ext.) 12.375 (int.) 20.375 (int.)	12.375 (int.)	4.89 (ext.) 6.39 (int.)	.121 (total)



www.FoxBlocks.com  
1-877-369-2562

8 Inch Concrete Thickness						
		Width (inches)	Length (inches)	Return (inches)	Surface Area (square feet)	Concrete Vol. (cubic yards)
<b>Straight</b>		13.25 (8" core)	48	NA	5.33 (ext. or int.)	.132 (total)
<b>90° Corner</b>		13.25 (8" core)	34 (ext.) 20.75 (int.)	26 (ext.) 12.75 (int.)	6.67 (ext.) 3.72 (int.)	.128 (total)
<b>45° Angle</b>		13.25 (8" core)	28 (ext.) 22.5 (int.)	20 (ext.) 14.5 (int.)	5.33 (ext.) 4.11 (int.)	.117 (total)
<b>Corbel Ledge</b>		17.75	48	NA	5.61 (ext. curve) 5.33 (int. curve)	.162 (total) .005 (Corbel only)
<b>Taper Top</b>		13.25	48	NA	5.33 (ext. or int.)	.144 (total) .002 (Ledge only)
<b>T-Block Short Leg</b>		13.25 (8" core)	44 (ext.) 11.375 (int.) 19.375 (int.)	4.75 (int.)	4.89 (ext.) 4.47 (int.)	.141 (total)
<b>T-Block Long Leg</b>		13.25 (8" core)	44 (ext.) 11.375 (int.) 19.375 (int.)	8.75 (int.)	4.89 (ext.) 5.36 (int.)	.152 (total)